SEQUENCE LISTING

- <110> FEARON, Karen L. DINA, Dino TUCK, Stephen F.
- <120> CHIMERIC IMMUNOMODULATORY COMPOUNDS AND METHODS OF USING THE SAME-IV
- <130> 377882002021 ,
- <140> Not Yet Assigned
- <141> 2003-07-18
- <150> US 10/328,578
- <151> 2002-12-23
- <150> US 10/176,883
- <151> 2002-06-21
- <150> US 10/177,826
- <151> 2002-06-21
- <150> US 60/375,253
- <151> 2002-04-23
- <150> US 60/299,883
- <151> 2001-06-21
- <160> 158
- <170> FastSEQ for Windows Version 4.0
- <210> 1
- <211> 24
- <212> DNA
- <213> Artificial Sequence
- <220>
- <223> Synthetic construct
- <221> variation
- <222> (5)...(24)
- <223> n = any nucleotide
- <221> variation
- <222> (5)...(24)
- <223> n's may or may not be present
- <400> 1
- tcgannnnn nnnnnnnnn nnnn

<210> 2

24

```
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 2 -
                                                                     22
tgactgtgaa cgttcgagat ga
<210> 3
<211> 22
<212> DNA
<213> Artificial Sequence -
<220>
<223> Synthetic construct
<400> 3
                                                                     22
tgactgtgaa ccttagagat ga
<210> 4
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 1
\langle 223 \rangle n = t, g, c, or 5-bromocytosine
<221> variation
<222> 2 ·
<223> n = t, g, a, or u
<221> variation
<222> 4
<223> n = t, a, or c
<221> variation
<222> 7
<223> n = t, g, or u
<400> 4
                                                                     10
nnancgntcg
<210> 5
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
```

<400> 5

tgaacgttcg		10
<210> 6 <211> 10 <212> DNA <213> Artificial Sequence	*	
<220> <223> Synthetic construct		
<400> 6 ggaacgttcg		10
<210> 7 <211> 10 <212> DNA <213> Artificial Sequence		· .
<220> <223> Synthetic construct		•
<400> 7 tgaacgutcg		10
<210> 8 <211> 10 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		47
<400> 8 tgaccgttcg		10
<210> 9 <211> 10 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 9 tgatcggtcg		10
<210> 10 <211> 10 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 10 tgatcgttcg		10

<210> 11 <211> 10 <212> DNA	
<213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 11 tgaacggtcg	10
<210> 12 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 12 gtaacgttcg	ì
<210> 13 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 13 gtatcggtcg	10
<210> 14 <211> 10 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct	
<400> 14 gtaccgttcg	 10
<210> 15 <211> 10 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 15 gaaccgttcg	 1 C
<210> 16 <211> 10	

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 1
<223> n = 5-bromocytosine
<400> 16
ngaccgttcg
                                                                    10
<210> 17
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 17
                                                                    10
cgaacgttcg
<210> 18
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 18
                                                                    10
cgaccgttcg
<210> 19
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 1
<223> n = 5-bromocytosine
<400> 19
                                                                    10
ngaacgttcg
<210> 20
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
```

<223> Synthetic construct

\400> 20		1.0
ttaacgutcg		10
-010: 01		• •
<210> 21		
<211> 10		
<212> DNA		
<213> Artificial Sequence		
<220>		
<223> Synthetic construct		
ion, oi	:	
<400> 21		10
tuaacgutcg		10
<210> 22		
<211> 10		
<212> DNA	-	
<213> Artificial Sequence	÷ ·	
<220>	•	
<223> Synthetic construct		
	0.	
<400> 22		1.0
ttaacgttcg	·	10
.010. 00		
<210> 23		
<211> 24		
<212> DNA		1.4
<213> Artificial Sequence	· · · · · · · · · · · · · · · · · · ·	· 1
.000		
<220>	•	
<223> Synthetic construct		,
4400 02		
<400> 23		2.4
tcgtcgaacg ttcgttaacg ttcg		24
(010) 04		
<210> 24		
<211> 22		•
<212> DNA		
<213> Artificial Sequence		
<220>		
<223> Synthetic construct		
(400) 24	(A)	
<400> 24	•	22
tgactgtgaa cgutcgagat ga		22
(010) 05		
<210> 25		
<211> 24	•	
<212> DNA	· · · · · · · · · · · · · · · · · · ·	
<213> Artificial Sequence	· · · · · · · · · · · · · · · · · · ·	
1000-		
<220>		
<223> Synthetic construct		
.400. 05	· · · · · · · · · · · · · · · · · · ·	
<400> 25		

tcgtcgaucg utcgttaacg utcg		24
<210> 26		
<211> 24		
<212> DNA	·	
<213> Artificial Sequence	*	~
<220>		
<223> Synthetic construct		
<400> 26		- 0.4
tcgtcgaucg ttcgtuaacg utcg		24
<210> 27		
<211> 24		
<212> DNA		
<213> Artificial Sequence	0.0	
•		
<220>		
<223> Synthetic construct		
<400> 27		
tcgtcguacg utcgttaacg utcg		24
	*	2.1
<210> 28	,	
<211> 24		
<212> DNA		
<213> Artificial Sequence	*	
· · · · · · · · · · · · · · · · · · ·		
<220> <223> Synthetic construct		
- 1223 Synthetic Constitution	*	
<221> variation		
<222> 7		
<223> n = 2-amino-adenine		-
×400> 20	,	
<400> 28 togtcgnacg utcgttaacg utcg		24
regregitacy decyclated decy		24
<210> 29		
<211> 24		
<212> DNA		
<213> Artificial Sequence		
<000		
<220> <223> Synthetic construct		
(223) Synthetic Constituet		
<400> 29		
tgatcgaacg ttcgttaacg ttcg		24
* 1		
<210> 30		
<211> 22		
<212> DNA	•	
<213> Artificial Sequence		
<220>		
<223> Synthetic construct		* + +
- ·		

<pre><400> 30 tgactgtgaa cgutcggtat ga</pre>		22
<210> 31 <211> 22 <212> DNA <213> Artificial Sequence	*	
<220> <223> Synthetic construct		
<400> 31 tgactgtgac cgttcggtat ga		22
<210> 32 <211> 22 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 32 tgactgtgat cggtcggtat ga		22
<210> 33 <211> 16 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 33 tcgtcgaacg ttcgtt		16
<210> 34 <211> 22 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 34 tcgtcgtgaa cgttcgagat ga		22
<210> 35 <211> 22 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 35		

tegteg	gtat cggtcggtat ga	00%	,		2,2
<210> 3 <211> 3 <212> 1 <213> 1	18				
<220> <223> \$	Synthetic construct				
<400> 3	36 acgt tcgagatg			*	18
<210> 3 <211> 3 <212> 1 <213> 2	18				
<220> <223> 3	Synthetic construct			· · ·	
ctgtga	tegt tegagatg		f a		18
<211> : <212> !					
<220> <223>	Synthetic construct			* .	
<400> tgactg	38 tgaa cggtcggtat ga		·		22
<210> <211> <211> <212> <213> <	22	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	,
<220> <223>	Synthetic construct			*	
<400> tcgtcg	39 gtac cgttcggtat gå				22
<210> <211> <211> <212> <213> <	22				
<220> <223>	Synthetic construct	. a			* ·
<400> tcgtcg	40 gaac cgttcggaat ga		i.		22

```
<210> 41
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 41
tcgtcgaacg ttcgagatg
                                                                    19
<210> 42
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 42
tcgtcgtaac gttcgagatg
                                                                    20
<210> 43
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 43
tgactgtgac cgttcggaat ga
                                                                    22
<210> 44
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 44
tcgtcgaacg ttcgaacgtt cg
                                                                    22
<210> 45
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2, 5
<223> n = 5-bromocytosine
```

)

<400> 45

tngtngaacg ttcgagatg		19
<210> 46	•	
<211> 19		
<212> DNA	;	
<213> Artificial Sequence		
<220>		
<223> Synthetic construct	*	
		•
<221> variation <222> 5		
<223> n = 5-bromocytosine		
·		
<400> 46	**	
tcgtngaacg ttcgagatg		19
<210> 47	· · · · · · · · · · · · · · · · · · ·	
<211> 20		
<212> DNA		
<213> Artificial Sequence		
and internal podeouco		
<220>		
<223> Synthetic construct		
<400> 47		
		- 20
tcgtcgaccg ttcggaatga	· · · *	- 20
<210> 48	*	
		* •
<211> 20		٠,
<211> 20 <212> DNA		٠.
<211> 20		٠.
<211> 20 <212> DNA		·.
<211> 20 <212> DNA <213> Artificial Sequence		
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct		
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation		
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5		
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation		
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine		
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48	T	20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence <220>		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence <220>		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 5 <223> n = 5-bromocytosine		20
<211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 2,5 <223> n = 5-bromocytosine <400> 48 tngtngaccg ttcggaatga <210> 49 <211> 20 <212> DNA <213> Artificial Sequence <220> <223> Synthetic construct <221> variation <222> 5		20

```
<210> 50
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 50
ttcgaacgtt cgttaacgtt cg
<210> 51
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 4
\langle 223 \rangle n = 5-bromocystosine
<400> 51
cttngaacgt tcgagatg
<210> 52
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 52
tgatcgtcga acgttcgaga tg
<210> 53
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<22.2> 1
\langle 223 \rangle n = t, g, c, or 5-bromocytosine
<221> variation
<222> 2
\langle 223 \rangle n = t, g, a, or u
<221> variation
<222> 4
\langle 223 \rangle n = t, a, or c
```

22

18

22

```
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<221> variation
<222> 7
<223> n = t, g, or u
<400> 53
                                                                            10
nnanngntcg
<210> 54
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 54
tgaangttcg
                                                                            10
<210> 55
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 55
tgaangutcg
                                                                            10
<210> 56
<211> 10
<212> DNA
'<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 56 '
```

10

tgacngttcg

```
<210> 57
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 57
tgatnggtcg
                                                                        10
<210> 58
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 58
gtatnggtcg
                                                                        10
<210> 59
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
<223> n = 5-bromocytosine
<400> 59
                                                                        10
gtacngttcg
<210> 60
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
```

 $\langle 223 \rangle$ n = 5-bromocytosine

```
<400> 60
gaacngttcg
                                                                         -10
<210> 61
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 61
                                                                          10
gaaangutcg
<210> 62
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 1, 5
\langle 223 \rangle n = 5-bromocytosine
<400> 62
ngacngttcg
                                                                          10
<210> 63
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 63
cgaangttcg
                                                                         10
<210> 64
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
```

<223> Synthetic construct

```
<221> variation
 <222> 1, 5
 \langle 223 \rangle n = 5-bromocytosine
 <400> 64
                                                                           10
 ngaangttcg
 <210> 65
 <211> 10
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic construct
 <221> variation
 <222> 1, 5
 \langle 223 \rangle n = 5-bromocytosine
 <400> 65
                                                                           10
 ngaangutcg
 <210> 66
 <211> 10
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic construct
 <221> variation
 <222> 5
 \langle 223 \rangle n = 5-bromocytosine
 <400> 66
                                                                           10
 ttaanguteg
 <210> 67
 <211> 10
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic construct
 <221> variation
 <222> 5
 <223> n = 5-bromocytosine
 <400> 67
. tuaangutcg
                                                                           10
 <210> 68
 <211> 10
 <212> DNA
```

<213> Artificial Sequence

```
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 68
                                                                          10
ttaangttcg
<210> 69
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 11
\langle 223 \rangle n = 5-bromocytosine
<400> 69
tgactgtgaa ngutcgagat ga
                                                                          22 \
<210> 70
<211> 24
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 9, 19
\langle 223 \rangle n= 5-bromocytosine
<400> 70
tcgtcgaang ttcgttaang ttcg
                                                                          24
<210> 71
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 11
\langle 223 \rangle n = 5-bromocytosine
<400> 71
```

22

tgactgtgaa ngutcggtat ga

```
<210> 72
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 11
\langle 223 \rangle n = 5-bromocytosine
<400> 72
                                                                      22
tgactgtgaa ngutcggaat ga
<210> 73
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 11
<223> n = 5-bromocytosine
<400> 73
tcgtcggaaa ngutcggaat ga
                                                                      22
<210> 74
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5, 9
<223> n = 5-bromocytosine
<400> 74
                                                                      20 .
tcgtngaang utcggaatga
<210> 75
<211> 10
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 1
```

 $\langle 223 \rangle$ n = t, c, or 5-bromocytosine

```
<221> variation
<222> 2
<223> n = t, g, a, or u
<221> variation
<222> 4
<223> n = t, a, or c
<221> variation
<222> 7
<223> n = t, g, or u
<400> 75
nnançgntcg
                                                                       10
<210> 76
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 11
\langle 223 \rangle n = 5-bromocytosine
<400> 76
 tgactgtgaa ngttcgagat ga
                                                                       22
<210> 77
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 11, 15
\langle 223 \rangle n = 5-bromocytosine
<400> 77
tgactgtgaa ngttngagat ga
                                                                       22
<210> 78
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
```

<222> 11

<223> n = 5-bromocytosine

⊕ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴ ∴	22
	E & ,
· ·	
•	
	1
	`
	22
A	•
•	
· ·	
	`
•	
·	
9	¥.
* a	22
	•
•	
*	
· .	
* :	
	, X
	22
4	
•	
* 7	
4	

tgactgtgaa ngttcggtat ga		22
<210> 83 <211> 18 <212> DNA		
<213> Artificial Sequence	&	
<220> <223> Synthetic construct		
<400> 83 ctgtgaacgt tcgagatg		18
<210> 84 <211> 22 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<221> variation <222> 2, 5 <223> n = 5-bromocytosine		
<400> 84 tngtngtgaa cgttcgagat ga		22 ·
<210> 85 <211> 22 <212> DNA <213> Artificial Sequence	*	*
<220> <223> Synthetic construct		
<221> variation <222> 5 <223> n = 5-bromocytosine		
<400> 85 tcgtngtgaa cgttcgagat ga		22
<210> 86 <211> 22 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		·
<221> variation <222> 13 <223> n = 4-thio-thymine		
<400> 86 tgactgtgaa cgntcgagat ga		22.

<210>	87					
<211>	22					
<212>						i
	Artificial Sequence					
12101	metriciai bequence	•				
<220>						
	Combbatile construct	<i>2</i>				
<223>	Synthetic construct					
.001.						*
	variation		*			į
	12, 16					
<223>	n = 6-thio-guanine					
					,	
<400>	87					
tgact	gtgaa cnttcnagat ga			¥	,	22
<210>	88					
<211>						
<212>						
	Artificial Sequence					
<220>						
	Synthetic construct					
\2237	synthetic construct					
. 4 0 0 5						
<400>		•				00
tgact	gtgaa cgttcgtuat ga					22
<210>						
<211>	22	•				
<212>	DNA					
<213>	Artificial Sequence					
		· *				
<220>		-				
<223>	Synthetic construct					
<400>	89					
	gtgaa cgttcgttat ga	•				22
uguss						
<210>	90					
<211>						
<212>						
				`		
\Z13X	Artificial Sequence			•		
4000s						
<220>		→				
<223>	Synthetic construct					
	* •	-				
<400>						
tcgtt	caacg ttcgttaacg ttcg					24
•	•					
<210>	91				. "	
<211>				;		
<212>						
	Artificial Sequence					
1210/						
<220>				*.		
\ ∠∠3>	Synthetic construct					

<400> 91 tgattcaacg ttcgttaacg ttcg	
<210> 92 <211> 18 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 92 ctgtcaacgt tcgagatg	18
<210> 93 <211> 20^ <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 93 tcgtcggaac gttcgagatg	20
<210> 94 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	<
<400> 94 tcgtcggacg ttcgagatg	19
<210> 95 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct	
<400> 95 tcgtcgtacg ttcgagatg	19
<210> 96 <211> 19 <212> DNA <213> Artificial Sequence	
<220> <223> Synthetic construct <400> 96	*
tententten ttenanatn	19

```
<210> 97
<211> 13
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 97
tcgtgaacgt tcg
                                                                    13
<210> 98
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 98
tcgtcgaacg ttcg
                                                                      14
<210> 99
<211> 13
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2
<223> n = 5-bromocytosine
<400> 99
                                                                      13
tngtgaacgt tcg
<210> 100
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2, 5
\langle 223 \rangle n = 5-bromocytosine
<400> 100
                                                                      14
tngtngaacg ttcg
<210> 101
<211> 13
```

<212> DNA

```
<213> Artificial Sequence
 <220>
 <223> Synthetic construct
 <400> 101
 tcgttaacgt tcg
                                                                        13
 <210> 102
 <211> 16
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic construct
 <221> misc_feature
 <222> (4)...(6)
 <223> tcg may or may not be present
 <221> variation
 <222> 7, 8
 <223> n = any nucleotide
<221> variation
 <222> 7, 8
 <223> n's may or may not be present
 <221> variation
 <222> 10
 \langle 223 \rangle n = t, a, or c
 <221> variation
 <222> 13
 \langle 223 \rangle n = t, g, or u =
 <400> 102
 tcgtcgnnan cgntcg
                                                                        16
 <210> 103
 <211> 11
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic construct
 <400> 103
                                                                        11
 tcgaacgttc g'
 <210> 104
 <211> 12
 <212> DNA
 <213> Artificial Sequence
```

<220>

<223> Synthetic Construct	•
<400> 104	
ctgaacgttc ag	12
	*
<210> 105	
<211> 10	
<212> DNA	- In the second of the second
<213> Artificial Sequence	
<220>	
<223> Synthetic construct	
<400> 105	
tgatgcatca	10.
tgatgeatea	10,
<210> 106	
<211> 13	
<212> DNA	
<213> Artificial Sequence	
	· · · · · · · · · · · · · · · · · · ·
<220>	*
<223> Synthetic construct	
<400> 106	
tcggtatcgg tcg	13
teggtategg teg	13
<210> 107	
<211> 13	1
<212> DNA	
<213> Artificial Sequence	
<220>	*
<223> Synthetic construct	
<400> 107	
teggtacegt teg	13
,	
<210> 108	
<211>.13	
<212> DNA	
<213> Artificial Sequence	

<220>	
<223> Synthetic construct	
<400> 108	
teggaacegt teg	13
	*
<210> 109	
<211> 12	
<212> DNA	
<213> Artificial Sequence	\mathcal{J}
4000	
<220> (
<223> Synthetic construct	

<400> 109 tcggaacgtt cg		12
<210> 110 <211> 15 <212> DNA <213> Artificial Sequence	*	
<220> <223> Synthetic construct	*	
<400> 110 tcgtcggaac gttcg		15
<210> 111 <211> 12 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 111 tcgtaacgtt cg		12
<210> 112 <211> 11 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		÷
<400> 112 tcgaccgttc g		11
<210> 113 <211> 14 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		. 81.
<400> 113 tcgtcgaccg ttcg		14
<210> 114 <211> 20 <212> DNA <213> Artificial Sequence		
<220> <223> Synthetic construct		
<400> 114 tgcgtgtaac gttacacgca		20

```
<210> 115
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2
\langle 223 \rangle n = 5-bromocytosine
<221> variation
<222> 5
<223> n = 5-bromocytosine
<221> variation
<222> 4-6
<223> tng may or may not be present
<221> variation
<222> 7, 8
<223> n = any nucleotide
<221> variation
<222> 7, 8
<223> n's may or may not be present
<221> variation
<222> (10)...(10)
<223> n = t, a, or c
<221> variation
<222> (13)...(13)
<223> n = t, g, or u
<400> 115
tngtngnnan cgntcg
<210> 116
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 116
```

ttggccaagc ttggccaa

<213> Artificial Sequence

<210> 117 <211> 16 <212> DNA

16 18 28

```
<220>
<223> Synthetic construct
<221> variation
<222> 2, 5
\langle 223 \rangle n = 5-bromocytosine
<400> 117
tngtngtgaa cgttcg
                                                                         16
<210> 118
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2
\langle 223 \rangle n = 5-bromocytosine
<400> 118
                                                                         11
tngaacgttc g,
<210> 119
<211> 11
<212> DNA
<213> Artificial Sequence
<220> .
<223> Synthetic construct
<221> variation
<222> 2
<223> n = 5-bromocytosine
<400> 119
tngaccgttc g
                                                                         11
<210> 120
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2, 5
\langle 223 \rangle n = 5-bromocytosine
<400> 120
tngtngaccg ttcg
                                                                         14
<210> 121
```

<211> 16

```
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation '
<222> 5
<223> n = 5-bromocytosine
<221> variation
<222> 7, 8
\langle 223 \rangle n = any nucleotide
<221> variation
<222>:7, 8
<223> n's may or may not be present
<221> variation
<222> 10
\langle 223 \rangle n = t, a, or c
<221> variation
<222> 13
\langle 223 \rangle n = t, u, or q
<400> 121
tcgtngnnan cgntcg
<210> 122
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<400> 122
tcgtngtgaa cgttcg
<210> 123
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
```

<221> variation

<222> 5

<400> 123

. 16 16 <223> Synthetic construct $\langle 223 \rangle$ n = 5-bromocytosine

```
14
tcgtngaacg ttcg
<210> 124
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 5
<223> n = 5-bromocytosine
<400> 124
                                                                        14
tcgtngaccg ttcg
<210> 125 ·
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> misc_feature
<222> (4)...(6)
<223> tcg may or may not be present
<221> variation
<222> 7, 8
\langle 223 \rangle n = any nucleotide
<221> variation
<222> 7, 8
<223> n's may or may not be present
<221> variation
<222> 10
<223> n = t, a, or c_j
<221> variation
<222> 11
\langle 223 \rangle n = 5-bromocytosine
<221> variation
<222> (13) ... (13)
<223> n = t, g, or u
<400> 125
                                                                        16
tcgtcgnnan ngntcg
<210> 126
<211> 13
<212> DNA
<213> Artificial Sequence
```

```
<220>
<223> Synthetic construct
<221> variation
<222> 8
\langle 223 \rangle n = 5-bromocytosine
<400> 126
                                                                         13
toggaaangt tog
<210> 127
<211> 11
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 6
\langle 223 \rangle n = 5-bromocytosine
<400> 127
tcgaangttc g
                                                                        11
<210> 128 /
<211> 16
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> variation
<222> 2
\langle 223 \rangle n = 5-bromocytosine
<221> variation.
<222> (4)...(6)
<223> tng may or may not be present
<221> variation
<222> 5
\langle 223 \rangle n = 5-bromocytosine
<221> variation
<222> 7, 8
<223> n = any nucleotide
<221> variation
<222> 7,8
<223> n's may or may not be present
<221> variation
<222> (10)...(10)
```

<223> n = t, a, or c

```
<221> variation
<222> (13)...(13)
<223> n = t, g, or u
<400> 128
tngtngnnan ngntcg
<210> 129
 <211> 11
 <212> DNA
<213> Artificial Sequence
 <220>
<223> Synthetic construct
<221> variation
 <222> 2, 6
\langle 223 \rangle n = 5-bromocytosine
 <400> 129
 tngaangutc g
 <210> 130
 <211> 11
 <212> DNA
 <213> Artificial Sequence
<220>
 <223> Synthetic construct
 <221> variation
 <222> 2, 6
 <223> n = 5-bromocytosine
<400> 130
tngaangttc g
<210> 131
 <211> 16
 <212> DNA
 <213> Artificial Sequence
 <220>
 <223> Synthetic construct
<221> variation
<222> 5
<223> n = 5-bromocytosine
<221> variation
<222> 7, 8
\langle 223 \rangle n = any nucleotide
<221> variation
<222> 7, 8
```

<223> n's may or may not be present

16

/ 11

. 11

```
<221> variation
  <222> 10
  <223> n = t, a, c
  <221> variation
  <222> 11
  \langle 223 \rangle n = 5-bromocytosine
  <221> variation
  <222> (13)...(13)
  <223> n = t, g, or u
  <400> 131
  tcgtngnnan ngntcg
                                                                        16
  <210> 132
  <211> 14
  <212> DNA
  <213> Artificial Sequence
  <223> Synthetic construct
  <221> variation
  <222> 5, 9
  <223> n = 5-bromocytosine
  <400>. 132
                                                                     . 14
  tcgtngaang utcg
  <210> 133
  <211>. 14
  <212> DNA
  <213> Artificial Sequence
  <220>
  <223> Synthetic construct
  <221> variation
  <222> 5, 9
  <223> n = 5-bromocytosine
  <400> 133
  tcgtngaang ttcg
                                                                       14
  <210> 134
  <211> 22
  <212> DNA
  <213> Artificial Sequence
  <220>
< <223> Synthetic construct
```

<221> modified base

```
<222> 1
<223> n = thymine attached to a reactive linking group
<400> 134
                                                                    22
ngactgtgaa cgttcgagat ga
<210> 135
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> modified base
<222> 1
<223> n = thymine attached to a reactive linking group
<400> 135
ngactgtgaa cgttcgágat ga
                                                                    22
<210> 136
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 136
tgactgtgaa ggttagagat ga
                                                                    22 :.
<210> 137
<211> 22
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<221> modified base
<222> 1
<223> n = thymine attached to a reactive linking group
<400> 137
ngactgtgaa ccttagagat ga
                                                                    22
<210> 138
<211> 22
<212> DNA
<213> Artificial Sequence
<223> Synthetic construct
<221> modified_base
<222> 1
```

```
<223> n = thymine attached to a reactive linking group
<400> 138,
                                                                22
ngactgtgaa ccttagagat ga .
<210> 139
<211> 66
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 139
tgactgtgaa cgttcgagat gatgactgtg aacgttcgag atgatgactg tgaacgttcg 60
<210> 140
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 140
atcgatcgtt cgagcgac
                                                                    18
<210> 141
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 141
gtcgctcgaa cgatcgat
                                                                    18
<210> 142
<211> 18
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 142
agggttttt tttttt
                                                                   18
<210> 143
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
```

<400> 143 tegategate gategttega gegae	`		25
<210> 144 <211> 27 <212> DNA <213> Artificial Sequence		ţ	
<220> <223> Synthetic construct			
<400> 144 gtcgctcgaa cgatcgattt aacaaac	•		27
<210> 145 <211> 25 <212> DNA <213> Artificial Sequence			
<220> <223> Synthetic construct	· · ·		
<400> 145 gtcgctcgaa cgatcgataa taaat	-	* 1	25
<210> 146 <211> 27 <212> DNA <213> Artificial Sequence			
<220> <223> Synthetic construct			
<400> 146 tcgatcgtta tcgatcgttc gagcgac	<i>/</i>		27
<210> 147 <211> 12 <212> DNA <213> Artificial Sequence			
<220> <223> Synthetic construct			
<400> 147 tcgattcgag cg			12
<210> 148 <211> 30 <212> DNA <213> Artificial Sequence			
<220> <223> Synthetic construct			
<400> 148			

tcgttc	gage gaattegete gaad	egatett				30
<210×	140					
<210>						
<211>			4.5		١.	
<212>						
<213>	Artificial Sequence	2			• .	
<220s						
<220>						
-222	.Combbatta and the					
<223>	Synthetic construct	•	•			
<400S	140					
<400>						14
ecgett	tttt tcgc					14
<210>	150	±	•			
		· ·				
<211><212>						
(213)	Artificial Sequence			•		
<220>						
	Complete construct	1				
\223/	Synthetic construct					
<400>	150			.*		
	· ·					13
aaaaaa	laacg ccg	*				13
<210>	151					
<211>		*				
<212>					i.	6
	Artificial Sequence					
~213/	viciliciai peddence					
<220>						
	Synthetic construct					
1220	Dynamicale competace					
<400>	151	•	*			
	naaaa aaacga	•			•	16
cogogo	idada dadoya					
<210>	152			6.1		
<211>						
<212>						
	Artificial Sequence		• •		, , ,	
		•	•			
<220>						
	Synthetic construct				•	:
	<u>-</u>					
<400>	152				*	
	ecgaa egttga					16
<210>	153	**				
<211>						
<212>						
	Artificial Sequence		-			
<220>		47				
	Synthetic Construct					
				•		
<400>	153	•				

tcgttcgaac gttccgaacg a	•		21
<210> 154 <211> 20			
<212> DNA		•	
<213> Artificial Sequence			•
<220> <223> Synthetic Construct	e Ye		
<400> 154		4	
tcgttcgaac gttcgaacga			20
<210> 155			
<211> 12			
<212> DNA			
<213> Artificial Sequence	** ·		
<220>	-		
<223> Synthetic Construct			
<400> 155		•	
tcgaacgttc ga			12
<210> 156			2
<211> 17			
<212> DNA	*		
<213> Artificial Sequence	•		
<220>			÷
<223> Synthetic Construct	•		
		. **	
<400> 156	•		17
tcgttcgaac gttcgaa)	17
<210> 157	· ·		
<211> 18 ' <212> DNA			
<213> Artificial Sequence			
<220>			
<223> Synthetic Construct			
<400> 157	·		10
acttagaggt tcagtagg		•	18
<210> 158		*	
<211> 18			
<212> DNA		•	
<213> Artificial Sequence		•.•	
			٠.
<220>			
<223> Synthetic Construct		ı	
<400> 158			
cctactgaac ctctaagt	•		18